

Image may not represent actual product

Module Specifications

Production PN	S2C-D4D266616.1-2	CAS Latency (CL)	CL19
Technology	288pin DDR4 DIMM	Clock Cycle Time (tCK)	0.75ns
Density	16GB	Row Cycle Time (tRC)	45.75ns
Speed	PC4-21300 (2666MT/S)	RF Command Time (tRFC)	350ns
Control	Unbuffered	Row Active Time (tRAS)	32ns
Parity	Non ECC	Voltage	1.2V
SPD	SPD0344	Rank	2
RoHS	Yes	Operating Temp	Commercial (0 to +95 C)
Refresh	8K	Warranty	Lifetime

PCB Specifications

Part Number	PCB-CMP-DDR4DIMM16	Height	31.24mm (+/-0.10mm)
Plating Type	Gold	Width	133.50 mm (+/-0.10mm)


DRAM Specifications

Manufacturer	Not Controlled	Power	Standard
Part Number	Not Controlled	Package	Not Controlled
Configuration	1024MX8	Banks	16

S2C-D4D266616.1-2 For more information visit centon.com, email RFQ@centon.com or call toll-free: 800-234-9292

©2012 CENTON ELECTRONICS INC. RESERVES THE RIGHT TO CHANGE PRODUCTS, INFORMATION AND SPECIFICATIONS WITHOUT NOTICE. Products and specifications discussed herein are for reference purposes only. All information discussed herein is provided on an 'AS IS' basis, without warranties of any kind. This document and all information discussed herein remain the sole and exclusive property of Centon Electronics. No license of any patent, copyright, mask work, trademark or any other intellectual property right is granted by one party to the other party under this document, by implication, or other-wise. Centon products are not intended for use in life support, critical care, medical, safety equipment, or similar applications where product failure could result in loss of life or personal or physical harm, or any military or defense application, or any governmental procurement to which special terms or provisions may apply. The information set forth in this document is considered to be 'Proprietary' and 'Confidential' property owned by Centon. Although considered final, these specifications are subject to change, as further product development and data characterization sometimes occur.

Physical Dimensions



- Notes: 1. All dimensions are in millimeters (inches); MAX/MIN or typical (TYP) where noted.
2. The dimensional diagram is for reference only.